BORING MACHINES - T TYPE BORER - LAZZATI

LAZZATI HB 150 T LINEA T-TYPE - UNIVERSAL AUTOMATIC HEAD 1°-1° and D ANDREA UT 5/500 S FACING HEAD



Condition:
SPINDLE DIAM: **150 MM**
X AXIS TRAVEL: **6000 MM**
Z AXIS TRAVEL: **2300 MM**
Y AXIS TRAVEL: **2600 MM**
W AXIS TRAVEL: **900 MM**
TABLE DIMENSIONS: **2000 X 3000 MM**
MAX LOAD CAPACITY: **30 TON**
SPINDLE NOSE TAPER: **ISO 50**
SPINDLE MOTOR POWER: **53 KW in S1 - 65 KW in S6**
SPINDLE SPEED: **3250 RPM**
ATC: **120 POSITIONS**
RAPID FEEDS: **X AXIS: 12 M/MIN - Y and Z AXIS: 15 m/min - W AXIS: 7,5 M/MIN**
FACEPLATE DIAM: **D'ANDREA UT 5/500 S**
CNC: **HEIDENHAIN TNC 530**
OTHER DETAILS: **UNDER POWER**
YEAR OF MANUFACTURE: **2015 - INSTALLED IN 2017**

ACCESSORIES:

S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com

UNIVERSAL AUTOMATIC HEAD 1°-1°
D'ANDREA UT 5/500 S
PICK UP FOR CHANGE HEAD 3 POSITIONS
BORE EXTENSION
COOLANT THROUGH SPINDLE
CHIP CONVEYOR

Non-binding data

S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com













S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com