BORING MACHINES - T TYPE BORER - TOS

TOS WHN 13.8



Condition:
SPINDLE DIAM: **130 mm**
X AXIS TRAVEL: **3500 mm**
Z AXIS TRAVEL: **800 mm**
Y AXIS TRAVEL: **2000 mm**
W AXIS TRAVEL: **1250 mm (column)**
TABLE DIMENSIONS: **1600 x 1800 mm**
MAX LOAD CAPACITY: **12 ton**
TABLE DIVISION: **360.000 pos**
SPINDLE MOTOR POWER: **37 kw**
SPINDLE SPEED: **1500 rpm**
CNC: **HEIDENHAIN TNC 426**
OTHER DETAILS: **machine with vertical travel slideways grinded and also a partial overhauling in head**

Non-binding data

S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com













S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com







S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com