*BORING MACHINES - FLOOR TYPE BORER - PEGARD*

# PEGARD PRECIRAM 4 TX



**Condition**:
SPINDLE DIAM: **160 mm**
X AXIS TRAVEL: **12.000 mm**
Z AXIS TRAVEL: **1000 mm**
Y AXIS TRAVEL: **2000 mm**
W AXIS TRAVEL: **1000 mm**
SPINDLE NOSE TAPER: **ISO 50 - DIN 69871**
SPINDLE MOTOR POWER: **60 kw**
SPINDLE SPEED: **3500 rpm**
ATC: **80 positions**
X AXIS RAPID FEEDS: **25 m/min**
Z AXIS RAPID FEEDS : **12 m/min**
Y AXIS RAPID FEEDS: **25 m/min**
W AXIS RAPID FEEDS: **12 m/min**
CNC: **SIEMENS 840 D**
OTHER DETAILS: **coolant through spindle 40 bar**
YEAR OF MANUFACTURE: **2006**

**ACCESSORIES:**
2 angular automatics heads 360 x 1°. pick up for heads

Non-binding data



S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com
















S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com









S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com