

LATHES - CNC LATHES - INNSE

## INNSE TPF 120-02-02 - C AXIS - Y AXIS



**Condition:**

**CENTRES HEIGHT OVER BED: 700 MM**

**SWING OVER BED: 1260 MM WITH TELESCOPIC COVERS**

**SWING OVER SADDLE: 1200 MM**

**DISTANCE BETWEEN CENTRES: 5000 MM**

**MAX LOAD CAPACITY BETWEEN CENTRES: 10 TON**

**FACE PLATE DIAMETER: 750 MM**

**BED WIDTH: 1250 MM**

**NUMBER OF SLIDEWAYS: 3 + 1**

**SPINDLE MOTOR POWER: 82 KW**

**SPINDLE SPEED: 2,5 - 600 RPM**

**GEARS NUMBERS: 2**

**QUILL DIAMETER: 200 MM**

**QUILL TRAVEL : 260 MM**

**TURRET: NR 6 PLACES FPOR TURNING - NR 2 PLACES FOR MILLING**

**MILLING SPINDLE NOSE TAPER: ISO 50**

**MILLING SPINDLE MOTO POWER: 18,3 KW**

**MILLING SPINDLE SPEED: 30 - 1600 RPM**

**CNC : NUM 750**

**OTHER DETAILS: C AXIS - Y AXIS**

**YEAR OF MANUFACTURE: 1987**

**ACCESSORIES:**

GRINDING DEVICE WITH MOTOR POWER 4 KW, GRINDING DIAMETER 700 MM

Non-binding data



