LATHES - CONVENTIONAL LATHES - SAFOP

SAFOP LEONARD 40 TR 1000 tornio - rettifica



Condition:
DISTANCE BETWEEN CENTERS: **8000 mm**
CNETRE HEIGHT OVER BED: **630 mm**
SWING OVER BED: **1260 mm**
SWING OVER SADDLE: **1000 mm**
BED WIDTH: **1550 mm**
MAX LOAD CAPCITY WITH STEADIES: **20.000 KG**
MAX LOAD CAPACITY WITHOUT STEADIES: **10.000 kg**
SPINDLE MOTOR POWER : **20 kw**
SPINDLE SPEED: **714 rpm**
GEARS NUMBER: **3**
QUILL DIAMETER: **152 mm**
QUILL TRAVEL: **300 mm**
SPINDLE BORE: **102 mm**
FACEPLATE DIAM: **800 mm**
MAX DIAM OF GRINDING: **1000 mm**
MIN DIAM OF GRINDING : **75 mm**
WHEEL DIAMETER : **508 mm**
WHEEL WIDTH: **51 mm**
GRINDING MOTOR POWER : **15 kw**
MIN AND MAX OF CAMBERING: **0/8 mm**
OTHER DETAILS: **CAMBERING**

S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com

MACHINE WEIGHT : **25 ton aprox**

Non-binding data

S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com







S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com