MILLING MACHINES - BRIDGE TYPE MILLING - INNSE

INNSE ATLAS 2P



Condition:
X AXIS TRAVEL: **9000 mm**
Y AXIS TRAVEL: **5500 mm**
Z AXIS TRAVEL : **1500 mm**
DISTANCE BETWEEN COLUMNS: **3800 mm**
TABLE 1 DIMENSIONS: **3000 x 4000 mm**
CAPACITY ON TABLE 1: **25 ton**
TABLE 2 DIMENSIONS: **3000 x 3000 mm**
CAPACITY ON TABLE 2: **20 ton**
SPINDLE NOSE TAPER: **ISO 50**
SPINDLE MOTOR POWER: **60 kw**
SPINDLE SPEED: **5 - 4833 rpm**
RAPID FEEDS: **20 m/min**
ATC: **160 pos**
HEAD CHANGER: **YES - availables 7 heads included tilting head**
CNC: **SIEMENS 840 D**
YEAR: **2002**

ACCESSORIES:
double chip conveyor

Non-binding data

S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com













S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com





S.S. per Voghera, Loc. Capitania 97/C/2, 15057 - Tortona (AL) – T +39 0131 814498 - Fax – Vat Id IT01105170060 – info@selemarc.com - www.selemarc.com